ELSEVIER

Journal of Immunological Methods 169 (1994) 293–294

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 169 (1994)

Number 1 – 28 February 1994

Research reports

High level functional engraftment of severe combined immunodeficient mice with human peripheral blood lymphocytes following pretreatment with radiation and anti-asialo G_{M1}
B. Shpitz, C.A. Chambers, A.B. Singhal, N. Hozumi, B.J. Fernandes, C.M. Roifman, L.M. Weiner, J.C. Roder and S. Gallinger (Canada, USA) 1

Analysis of the population of human T cell receptor γ and δ chain variable region subfamilies by reverse dot blot hybridization
Y. Tsuruta, T. Yoshioka, R. Suzuki and T. Sakata (Japan) 17

Transfected murine cells expressing HLA class II can be used to generate alloreactive human T cell clones
A.N. Warrens, T. Heaton, S. Sidhu, G. Lombardi and R.I. Lechler (UK) 25

Hapten-mediated identification of cell membrane antigens using an anti-FITC monoclonal antibody
P. Balogh, G. Szekeres and P. Németh (Hungary) 35

A consensus primer to amplify both α and β chains of the human T cell receptor
D. Moonka and E.Y. Loh (USA) 41

A reporter system using a flow cytometer to detect promoter/enhancer activity in lymphoid cell lines
O. Mazda, K. Teshigawara, S. Fujimoto, N. Hattori, Y.-M. Dou and Y. Katsura (Japan) 53

Bovine colostrum ultrafiltrate: an effective supplement for the culture of mouse-mouse hybridoma cells
R. Pakkanen and M. Neutra (Finland, USA) 63

Detection of cell specific cluster determinant expression by reverse transcriptase polymerase chain reaction
M. James-Yarish, W.G. Bradley, P.J. Emmanuel, R.A. Good and N.K. Day (USA) 73

Immunoglobulin class switch of anti-ganglioside monoclonal antibody from IgM to IgG
K. Shitara, K. Fujiwara, S. Igarashi, S. Ohta, A. Furuya, K. Nakamura, M. Koike and N. Hanai (Japan) 83

Receptor-mediated label-transfer assay (RELAY):. a novel method for the detection of plasma tumor necrosis factor at attomolar concentrations
A. Poltorak, K. Peppel and B. Beutler (USA) 93

Competitive RT-PCR ELISA:. a rapid, sensitive and non-radioactive method to quantitate cytokine mRNA
A. Taniguchi, H. Kohsaka and D.A. Carson (USA) 101

Immunoassay for functional human soluble interleukin-6 receptor in plasma based on ligand/receptor interactions
F.A. Montero-Julian, J. Liautard, S. Flavetta, F. Romagné, J.P. Gaillard, J. Brochier, B. Klein and H. Brailly (France) 111

Development of a bispecific monoclonal antibody for use in molecular hybridisation
J. Auriol, J.-L. Guesdon, J.-C. Mazié and F. Nato (France) 123

Technical notes

Characterization of metabolically labelled antigen following immunoprecipitation with antibody bound on ELISA plates
A. Von Brunn and C. Reichhuber (Germany) 135

A method for isolating granulocytes from rabbit blood without causing activation
S.T. Lillevang, P. Toft and B. Nielsen (Denmark) 137

Corrigendum

Purification of human IgG4 subclass with allergen-specific blocking activity (J. Immunol. Methods 165 (1993) 99–111)
P. Lambin, A. Bouzoumou, M. Murrieta, M. Debbia, P. Rouger, F. Leynadier and D.A. Levy (France) 139

Notes to authors 141

Number 2 – 10 March 1994

Research reports

Localization of activin subunits in early murine development determined by subunit-specific antibodies
C.C. Paulusma, C.M.M. Van der Kruijssen and A.J.M. Van den Eijnden-Van Raaij (Netherlands) 143

Assessment of the anti-*c-kit* monoclonal antibody YB5.B8 in affinity magnetic enrichment of human lung mast cells
Y. Okayama, T.C. Hunt, O. Kassel, L.K. Ashman and M.K. Church (UK, Australia) 153

Radioimmunoassays for the C-terminus of prothymosin α and the N-terminus of parathymosin α for the measurement of the levels of α-thymosins in human cancer
O.E. Tsitsiloni, E. Heimer, A. Felix, P.P. Yialouris, J. Vamvoukakis, W. Voelter and A.A. Haritos (Greece, USA, Germany) 163

Screening for autoantibodies to the nucleolar U3- and Th(7-2) ribonucleoproteins in patients' sera using antisense riboprobes
R. Verheijen, A. Wiik, B.A.W. De Jong, M. Høier-Madsen, S. Ullman, P. Halberg and W.J. Van Venrooij (Netherlands, Denmark) 173

A rapid and semi-quantitative method for the detection of autoantibodies by multiple spot immunoassay
B. Baslund and J. Wieslander (Denmark) 183

An in vitro test for endocytotic activation of murine epidermal Langerhans cells under the influence of contact allergens
D. Becker, G. Kolde, K. Reske and J. Knop (Germany) 195

Recombinant technology in the preparation of immunogen and enzymatic tracer. Application to the development of an enzyme immunoassay for rat prolactin
E. Ezan, F. Ducancel, D. Gillet, P. Drevet, A. Ménez, J.-M. Grognet and J.-C. Boulain (France) 205

The detection of intracytoplasmic interleukin-2 in Jurkat E6.1 and human peripheral blood mononuclear cells using direct conjugate, two-colour, immunofluorescent flow cytometry
C.A. McIntyre, C.J. Horne, J. Lawry and R.C. Rees (UK) 213

The relative radioresistance of interleukin-2 production by human peripheral blood lymphocytes: consequences for the development of a new limiting dilution assay for the enumeration of helper T lymphocyte precursor frequencies
U. Schanz, D.L. Roelen, J.W. Bruning, M.J. Kardol, J.J. Van Rood and F.H.J. Claas (Netherlands) 221

Retinoblastoma protein monoclonal antibodies with novel characteristics
S.F. Wen, M. Nodelman, K. Nared-Hood, J. Duncan, J. Geradts and H.M. Shepard (USA) 231

Solid versus liquid phase assays in detection of insulin antibodies. Influence of iodination site on labelled insulin binding
R. Del Rosario Stumpo, A.S. Llera, A.I. Cardoso and E. Poskus (Argentina) 241

Rapid, activity-guided isolation of sex-limited protein (Slp) from mouse serum by fractionated precipitation and high-performance liquid chromatography
C.W. Van den Berg and H. Van Dijk (UK, Netherlands) 251

Factors affecting the fine specificity and sensitivity of serum antiganglioside antibodies in ELISA
M.H. Ravindranath, R.M.H. Ravindranath, D.L. Morton and M.C. Graves (USA) 257

Separation of complexes of major histocompatibility class II molecules and known antigenic peptide by metal chelate affinity chromatography
B. Nag, P.V. Mukku, S. Arimilli, T. Kendrick, S.V. Deshpande and S.D. Sharma (USA) 273

Short communication

A simple method for isolating α_2 macroglobulin-cytokine complexes
A.J. Cunningham, S.-F. Elliott, J.R. Black and K. James (UK) 287

Contents to volume 169 (1994) 293

Notes to authors 295